



EP00/1455

The  
Patent  
Office

PCT/EP00/01455



INVESTOR IN PEOPLE

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

## PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH RULE 17.1(a) OR (b)

REC'D 08 MAR 2000

WIPO PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.


Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 10 February 2000



For Official Use



26FEB99 E428455-1 D02029  
P01/7700 0.00 - 9904405.9

Your Reference: RE/RH/ B45172

**9904405.9**

**Notes**

Please type, or write in dark ink using CAPITAL letters. A prescribed fee is payable for a request for grant of a patent. For details, please contact the Patent Office (telephone 071-483 4700).

Rule 16 of the Patents Rules 1990 is the main rule governing the completion and filing of this form.

- ② Do not give trading styles, for example, 'Trading as XYZ company', nationality or former names, for example, 'formerly (known as) ABC Ltd' as these are not required.

**Warning**

After an application for a Patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977 and will inform the applicant if such prohibition or restriction is necessary. Applicants resident in the United Kingdom are also reminded that under Section 23, applications may not be filed abroad without written permission unless an application has been filed not less than 6 weeks previously in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction revoked.

**The Patent Office** Request for grant of a Patent  
Form 1/77 Patents Act 1977

**① Title of invention**

1 Please give the title of the invention Vaccine 25 FEB 1999

**② Applicant's details**  
☐ First or only applicant

2a If you are applying as a corporate body please give:  
Corporate Name SmithKline Beecham Biologicals s.a.

Country (and State of incorporation, if appropriate) Belgium

2b If you are applying as an individual or one of a partnership please give in full:

Surname  
Forenames

2c In all cases, please give the following details:

Address: rue de l'Institut 89, B-1330 Rixensart, Belgium

UK postcode  
(if applicable)

Country Belgium  
ADP number 5800974002  
(if known)

578117001

2d, 2e and 2f: If there are further applicants please provide details on a separate sheet of paper

An address for service in the United Kingdom must be supplied

Please mark correct box.

3b: If you have appointed an agent, all correspondence concerning your application will be sent to the agent's United Kingdom address.

### Second applicant (if any)

2d

If you are applying as a corporate body please give:  
Corporate Name

Country (and State of  
Incorporation, if appropriate)

2e

If you are applying as an individual or one of a partnership please give in full:

Surname:

Forenames:

2f

In all cases, please give the following details:

Address:

UK postcode

(if applicable)

Country

ADP number

(if known)

3

### Address for service details

3a

Have you appointed an agent to deal with your application?

Yes ☒

No ☐ go to 3b



please give details below

Agent's name **MARCUS J W DALTON**

Agent's address **SmithKline Beecham  
Corporate Intellectual Property  
Two New Horizons Court  
Brentford, Middlesex  
TW8 9EP**

Postcode

Agent's ADP  
number

4122313005

3b

If you have not appointed an agent please give a name and address in the United Kingdom to which all correspondence will be sent:

Name

Address

Postcode

number

ADP number

(if known)

Daytime telephone

(if available)

7. Applicant is not an inventor  
 • there is an inventor who is not  
 • an applicant, or  
 • any applicant is a corporate body.

8. Please supply duplicates of claim(s),  
 abstract, description and drawings).

Please mark correct box(es)

9. You or your appointed agent (see  
 Rule 90 of the Patents Rules 1990)  
 must sign this request.

Please sign here **a**

A completed fee sheet should preferably  
 accompany the fee.

## Inventorship

7. Are you (the applicant or applicants) the sole inventor or the joint inventors?

Please mark correct box

Yes ☐ No ☒ ☐

A Statement of Inventorship on Patents  
 form 7/77 will need to be filed (see Rule 15).).

## 8 Checklist

8a Please fill in the number of sheets for each of the following types of  
 document contained in this application

Continuation sheets for this Patents Form 1/77

Claim(s) 2

Description 14

Abstract

Drawing(s) 6 only

8b Which of the following documents also accompanies the application?

Priority documents (please state how many)

Translation(s) of Priority documents (please state how many)

Patents Form 7/77 – Statement of Inventorship and Right to Grant

Patents Form 9/77 – Preliminary Examination Report

Patents Form 10/77 – Request for Substantive Examination

## 9 Request

I/We request the grant of a patent on the basis of this application.

Signed

MARCUS J W DALTON

Date: 25/02/99

(day month

year)

Chartered Patent Attorney

Attorney for the Applicant

Please return the completed form, attachments and duplicates where  
 requested, together with the prescribed fee to either;

☐ The Comptroller or  
 The Patent Office  
 Cardiff Road  
 Newport  
 Gwent  
 NP9 1RH

☒ The Comptroller  
 The Patent Office  
 25 Southampton Buildings  
 London  
 WC2A 1AY

Vaccine

The present invention relates to the provision of novel peptides for the treatment, prevention or amelioration of allergic disease. In particular, the novel peptides are  
5 derived from previously unrecognised regions of IgE for both passive and active immunoprophylaxis or immunotherapy. The invention further relates to methods for their production, pharmaceutical compositions containing them and their use in medicine.

10 In an allergic response to allergens, the symptoms are brought about by the release of allergic mediators, such as histamine, from immune cells into the surrounding tissues and vascular structures. Histamine is normally stored in mast cells or basophils, until such time as the release is triggered by interaction with allergen specific IgE.

15 The role of IgE in the mediation of allergic responses, such as asthma, food allergies, atopic dermatitis, type-I hypersensitivity and sinus inflammation, is well known. On encountering an antigen, such as pollen or dust mite allergens, B cells commence the synthesis of allergen specific IgE. The allergen specific IgE then binds to its FcεRI receptor (the high affinity receptor) on basophils and mast cells. Any subsequent  
20 encounter with allergen leads to the triggering of histamine release from the mast cells or basophils, and cross-linking of neighbouring IgE/ FcεRI complexes (EP 0 477 231 B1).

IgE, like all immunoglobulins, comprises two heavy and two light chains. The ε  
25 heavy chain consists of five domains: one variable domain (VH) and four constant domains (Cε1 to Cε4). The molecular weight of IgE is about 190,000 Da, the heavy chain being 550 amino acids in length.

A number of passive or active immunotherapeutic and immunoprophylactic  
30 approaches which interfere with this IgE-mediated histamine release mechanism have been investigated. These approaches range from the prevention of allergen/IgE complexes from binding to the FcεRI or FcεRII receptors on mast cells with passively

administered antibodies, or competitive binding of IgE to the receptors by IgE derived peptides; to the use of specific IgE peptides for active immunisation to stimulate histamine release inhibiting immune responses.

5 There are a number of considerations, and problems, which have been encountered in the art, which have to be taken into account when designing new anti-allergy therapies. One potentially dangerous consideration revolves around the involvement of IgE cross-linking in the histamine release signal. It is most often the case that the generation of anti-IgE antibodies during active vaccination therapy, are capable of  
10 triggering histamine release *per se*, by the cross-linking of IgE in the absence of any allergens. This phenomenon is termed anaphylactogenicity. Indeed many commercially available anti-IgE monoclonal antibodies are anaphylactogenic. Whether or not an antibody is anaphylactogenic, depends on the location of the target epitope on the IgE molecule.

15

Therefore, in order to be safe and effective, the passively administered or vaccine induced antibodies must bind in a region which is capable of interfering with the histamine triggering pathway, without being anaphylactic *per se*. The present invention achieves these aims and provides peptides which are capable of raising non-  
20 anaphylactic antibodies which inhibit histamine release. These peptides may form the basis of an active vaccine or be used to raise appropriate antibodies for passive immunotherapy.

EP 0 477 231 B1 describes immunogens derived from the Cε4 domain of IgE  
25 (residues 497-506, also known as the Stanworth decapeptide), conjugated to Keyhole Limpet Haemocyanin (KLH) used in active vaccination immunoprophylaxis. WO 96/14333 is a continuation of the work described in EP 0 477 231 B1.

Other approaches are based on the identification of peptides which themselves  
30 compete for IgE binding to the high or low affinity receptors on basophils or mast cells (WO 93/04173, WO 93/04173, WO 98/24808, EP 0 303 625 B1, EP 0 341 290).

Additional IgE peptides conjugated to carrier molecules, are described in WO 97/31948. These immunogens may be used in vaccination studies and are said to be capable of generating antibodies which subsequently inhibit histamine release *in vivo*.

- 5 The present invention is the identification of novel sequences of IgE which are used in active or passive immunoprophylaxis or therapy. These sequences have not previously been associated with anti-allergy treatments.

10 The peptides of the present invention are continuous portions of IgE which have been identified as being surface exposed. They are, therefore, available for antibody recognition by auto anti-IgE antibodies. The peptides of the present invention are capable of being used in active vaccination studies to induce auto anti-IgE antibodies.

15 Surprisingly, the auto anti-IgE antibodies induced by the peptides of the present invention are non-anaphylactogenic and are capable of blocking IgE-mediated histamine release from mast cells and basophils.

20 The present invention identifies those regions of IgE which are both continuous and are solvent exposed. The peptides may be passively administered themselves to prevent histamine release, or may be administered in active prophylactic or therapeutic vaccination. Antibodies, thus produced, are active in preventing the allergic symptoms caused by histamine release from mast cells or basophils.

25 Additionally, antibodies induced in one animal may be purified and passively administered to another animal for the prophylaxis or therapy of allergy. The peptides of the present invention may also be used for the generation of monoclonal antibody hybridomas (using known techniques *e.g.* Köhler and Milstein, Nature, 1975, 256, p495), humanised monoclonal antibodies or CDR grafted monoclonals, by techniques known in the art. Such antibodies may be used in passive immunoprophylaxis or  
30 immunotherapy, or be used in the identification of IgE peptide mimetopes.



The IgE peptides of the present invention are:

<i>Peptide</i>	<i>Sequence</i>	<i>Length exposed</i>	<i>IgE Domain</i>
P1	EDGQVMDVD	9	Cε2
P2	STTQEGEL	8	Cε2
P3	SQKHWLSDRT	10	Cε2
P4	GHTFEDSTKKCADSNPRGV	19	Cε2/Cε3

P1 and P2 are located within the Cε2 domain of IgE, within a region which has not previously been reported as being useful for the active vaccination based  
5 immunoprophylaxis of allergy.

The present invention arises from the identification of these novel regions of IgE for use in allergy therapy. The present invention, therefore, includes the native IgE peptides themselves, and any mimotope thereof. The meaning of mimotope is defined  
10 as a peptide sequence which is sufficiently similar to the native IgE peptide (sequentially or structurally), which is capable of being recognised by antibodies which recognise the native IgE peptide; or are capable of raising antibodies, when coupled to a suitable carrier, which antibodies are capable of recognising the native IgE peptide.

15 Peptide mimetopes may be designed for a particular purpose by addition, deletion or substitution of elected amino acids. Thus, the peptides may be modified for the purposes of ease of conjugation to a protein carrier. For example, it may be desirable for some chemical conjugation methods to include a terminal cysteine. In addition it  
20 may be desirable for peptides conjugated to a protein carrier to include a hydrophobic terminus distal from the conjugated terminus of the peptide, such that the free unconjugated end of the peptide remains associated with the surface of the carrier protein. Thereby reducing the conformational degrees of freedom of the peptide, and thereby increasing the probability that the peptide is presented in a conformation  
25 which most closely resembles that of the IgE peptide as found in the context of the whole IgE molecule. For example, the peptides may be altered to have an N-terminal cysteine and a C-terminal hydrophobic amidated tail. Alternatively, the addition or

substitution of a D-stereoisomer form of one or more of the amino acids may be performed to create a beneficial derivative, for example to enhance stability of the peptide.

- 5 Examples of such modified peptides include:

<i>Peptide</i>	<i>Sequence</i>	<i>Description</i>
P10	CADSNPRGV	P4 variant
P15	CLEDGQVMDVDLL-NH <sub>2</sub>	P1 variant
P16	CSTTQEGELA- NH <sub>2</sub>	P2 variant
p17	CSQKHWLSDRT- NH <sub>2</sub>	P3 variant

Alternatively, peptide mimotopes may be identified using antibodies which are capable themselves of binding to the IgE peptides of the present invention using techniques such as phage display technology (EP 0 552 267 B1). This technique, generates a large number of peptide sequences which mimic the structure of the native peptides and are, therefore, capable of binding to anti-native peptide antibodies, but may not necessarily themselves share significant sequence homology to the native IgE peptide. This approach may have significant advantages by allowing the possibility of identifying a peptide with enhanced immunogenic properties (such as higher affinity binding characteristics to the IgE receptors or anti-IgE antibodies), or may overcome any potential self-antigen tolerance problems which may be associated with the use of the native peptide sequence. Accordingly, in one aspect of the invention there is provided mimetopes of the IgE peptides noted above.

20 In one embodiment of the present invention the IgE peptides are linked to carrier molecules and used as immunogens in vaccination protocols. The peptides may be linked via chemical covalent conjugation or by expression of genetically engineered fusion partners, optionally *via* a linker sequence.

25 The types of carriers used in the immunogens of the present invention will be readily known to the man skilled in the art. The function of the carrier is to provide cytokine

help in order to help induce an immune response against the IgE peptide. A non-exhaustive list of carriers which may be used in the present invention include:

Keyhole limpet Haemocyanin (KLH), serum albumins such as bovine serum albumin (BSA), inactivated bacterial toxins such as tetanus or diphtheria toxins (TT and DT), of

5 recombinant fragments thereof (for example, Domain 1 of Fragment C of TT, or the translocation domain of DT), or the purified protein derivative of tuberculin (PPD).

Alternatively the peptides may be directly conjugated to liposome carriers, which may additionally comprise immunogens capable of providing T-cell help. Preferably the ratio of peptide to carrier is in the order of 1:1 to 1:20, more preferable between 3-15

10 peptides/carrier.

Chemical conjugation methods for conjugating the IgE peptides to the carrier are also well known in the art and include glutaraldehyde, and the common commercially available heterobifunctional linkers such as CDAP and SPDP (using manufacturers

15 instructions).

In an embodiment of the invention a preferred carrier is Protein D from *Haemophilus influenzae* (EP 0 594 610 B1). Protein D is an IgD-binding protein from *Haemophilus influenzae* and has been patented by Forsgren (WO 91/18926, granted EP 0 594 610

20 B1). In some circumstances, for example in recombinant immunogen expression systems it may be desirable to use fragments of protein D, for example Protein D 1/3<sup>rd</sup> (comprising the N-terminal 100-110 amino acids of protein D (GB 9717953.5)).

The immunogens of the present invention may comprise the peptides as previously  
25 described, including mimetopes or analogues thereof, or may be immunologically cross-reactive derivatives or fragments thereof. Also forming part of the present invention are portions of nucleic acid which encode the immunogens of the present invention or peptides, mimetopes or derivatives thereof.

30 The present invention, therefore, provides novel peptides 1-9 (as defined above) for use in the manufacture of pharmaceutical compositions for the prophylaxis or therapy of allergies. Immunogens comprising the peptides and carrier molecules are also

provided for use in vaccines for the immunoprophylaxis or therapy of allergies. Accordingly, peptides or immunogens of the present invention are used in medicine, and in the medical treatment or prophylaxis of allergic disease.

5 IgE peptides and immunogens of the present invention may be incorporated into vaccines for the immunoprophylaxis or therapy of allergies. Vaccines of the present invention, therefore, may advantageously also include an adjuvant. Suitable adjuvants for vaccines of the present invention comprise those adjuvants that are capable of enhancing the antibody responses against the IgE peptide immunogen.

10

Suitable adjuvants are well known in the art (Vaccine Design – The Subunit and Adjuvant Approach, 1995, Pharmaceutical Biotechnology, Volume 6, Eds. Powell, M.F., and Newman, M.J., Plenum Press, New York and London, ISBN 0-306-44867-X). Preferred adjuvants for use with immunogens of the present invention include:

15 aluminium or calcium salts (hydroxide or phosphate).

The vaccines of the present invention will be generally administered for both priming and boosting doses. It is expected that the boosting doses will be adequately spaced, or preferably given yearly or at such times where the levels of circulating antibody fall  
20 below a desired level. Boosting doses may consist the peptide in the absence of the original carrier molecule. Such booster constructs may comprise an alternative carrier or may be in the absence of any carrier.

In a further aspect of the present invention there is provided a vaccine as herein  
25 described for use in medicine.

The vaccine preparation of the present invention may be used to protect or treat a mammal susceptible to, or suffering from allergies, by means of administering said vaccine via systemic or mucosal route. These administrations may include injection  
30 *via* the intramuscular, intraperitoneal, intradermal or subcutaneous routes; or *via* mucosal administration to the oral/alimentary, respiratory, genitourinary tracts. A

preferred route of administration is via the transdermal route, for example by skin patches (PCT Appln No. PCT/US/97/21324).

5 The amount of protein in each vaccine dose is selected as an amount which induces an immunoprotective response without significant, adverse side effects in typical vaccinees. Such amount will vary depending upon which specific immunogen is employed and how it is presented. Generally, it is expected that each dose will comprise 1-1000  $\mu\text{g}$  of protein, preferably 1-500  $\mu\text{g}$ , preferably 1-100  $\mu\text{g}$ , of which 1 to 50 $\mu\text{g}$  is the most preferable range. An optimal amount for a particular vaccine can  
10 be ascertained by standard studies involving observation of appropriate immune responses in subjects. Following an initial vaccination, subjects may receive one or several booster immunisations adequately spaced.

15 In a related aspect of the present invention are ligands capable of binding to the peptides of the present invention, example of such ligands are antibodies (or Fab fragments), said ligands not being IgE receptors. Also provided are the use of the ligands in medicine, and in the manufacture of medicaments for the treatment of allergies.

20 Also forming part of the present invention is a method of identifying peptide immunogens for the immunoprophylaxis or therapy of allergy comprising using a computer model of the structure of IgE, and identifying those peptides of the IgE which are surface exposed. These regions may then be formulated into immunogens and used in medicine.

25 Vaccine preparation is generally described in New Trends and Developments in Vaccines, edited by Voller et al., University Park Press, Baltimore, Maryland, U.S.A. 1978. Conjugation of proteins to macromolecules is disclosed by Likhite, U.S. Patent 4,372,945 and by Armor et al., U.S. Patent 4,474,757.

30

The present invention is illustrated by but not limited to the following examples.

## Examples

### *1.1 Peptide identification*

The peptides were identified by the following technique.

- 5 The modelled structure of human IgE has been described Padlan and Davies (*Mol. Immunol.*, 23, 1063-75, 1986). Peptides were identified which were both continuous and solvent exposed. This was achieved by using Molecular Simulations software (MSI) to calculate the accessibility for each IgE amino acid, the accessible surface was averaged over a sliding window of five residues, and thereby identifying regions
- 10 of the IgE peptides which had an average over that 5-mer of greater than  $80\text{\AA}^2$ .

The results of the test are shown in figure 1.

### *Results*

- 15 From figure 1 there are a number of native peptides which may be used as immunogens for raising antibodies against IgE.

Table 1, Native surface exposed and continuous IgE peptides

<i>Peptide Number</i>	<i>Sequence</i>
P1	EDGQVMDVD
P2	STTQEGEL
P3	SQKHWLSDRT
P4	GHTFEDSTKKCADSNPRGV

20


### *1.2 Synthesis of IgE peptide/Protein D conjugates using a succinimide-maleimide cross-linker*

- Protein D may be conjugated directly to IgE peptides to form antigens of the present invention by using a maleimide-succinimide cross-linker. This chemistry allows
- 25 controlled  $\text{NH}_2$  activation of carrier residues by fixing a succinimide group.
- Maleimide groups is a cysteine-binding site. Therefore, for the purpose of the


following examples, the IgE peptides to be conjugated require the addition of an N-terminal cysteine.

The coupling reagent is a selective heterobifunctional cross-linker, one end of the compound activating amino group of the protein carrier by an succinimidyl ester and the other end coupling sulhydryl group of the peptide by a maleimido group. The reactional scheme is as the following :

a. Activation of the protein by reaction between lysine and succinimidyl ester :



b. Coupling between activated protein and the peptide cysteine by reaction with the maleimido group :



### 1.3 Preparation of IgE peptide-Protein D conjugate

The protein D is dissolved in a phosphate buffer saline at a pH 7.2 at a concentration of 2.5 mg/ml. The coupling reagent (N-[ $\gamma$ -maleimidobutyryloxy] succinimide ester - GMBS) is dissolved at 102.5 mg/ml in DMSO and added to the protein solution. 1.025 mg of GMBS is used for 1 mg of Protein D. The reactional solution is incubated 1 hour at room temperature. The by-products are removed by a desalting step onto a sephacryl 200HR permeation gel. The eluant used is a phosphate buffer saline Tween 80 0.1 % pH 6.8. The activated protein is collected and pooled. The peptides (as identified in table 1 or derivatives or mimetopes thereof) is dissolved at 4 mg/ml in 0.1 M acetic acid to avoid di-sulfure bond formation. A molar ratio of between 2 to 20 peptides per 1 activated Protein D is used for the coupling. The peptide solution is slowly added to the protein and the mixture is incubated 1 h at 25°C. The pH is kept at a value of 6.6 during the coupling phase. A quenching step is performed by addition of cysteine (0.1 mg cysteine per mg of activated PD dissolved at 4 mg/ml in acetic acid 0.1 M), 30 minutes at 25°C and a pH of 6.5. Two dialysis against NaCl 150 mM Tween 80 0.1 % are performed to remove the excess of cysteine or peptide.

The last step is a sterilisant filtration on a 0.22  $\mu$ m membrane. The final product is a clear filtrable solution conserved at 4°C. The final ratio of peptide/PD may be determined by amino acid analysis.

In an analogous fashion the peptides of the present invention may be conjugated to other carriers including BSA.

1.4 Aluminium Hydroxide adjuvant may be bought from Superfos.

### 1.5 ELISA assay to determine anti-antigen antibody responses

The anti-peptide and anti-carrier immune responses were investigated using an ELISA technique outlined below.



- Microtiterplates (Nunc) are coated with the specific antigen in PBS (4° overnight) with either:

Streptavidin at 2µg/ml (followed by incubation with biotinylated peptide (1µM) for 1 hour at 37°C), or

- 5 KLH, or  
Protein D.

- Wash 3X PBS-Tween 20 0.1%.
- Saturate plates with PBS-BSA 1%-Tween 20 0.1% (Sat buffer) for 1 hr at 37°.
- Add 1° antibody = sera in two-step dilution (in Sat buffer), incubate 1 hr 30
- 10 minutes at 37°.
- Wash 3X.
- Add 2° anti-mouse Ig (or anti-mouse isotype specific monoclonal antibody) coupled to HRP. Incubate 1 hr at 37°.
- Wash 5X.
- 15 • Reveal with TMB (BioRad) for 10 minutes at room temperature in the dark.
- Block reaction with 0.4N H<sub>2</sub>SO<sub>4</sub>.

A monoclonal anti-human decapeptide antibody (Dec7B) was used as reference in deca/dodeca ELISA. This makes it possible to calculate anti-decapeptide antibody

20 responses either in µg specific antibody per 1ml or serum (µg/ml), or as a midpoint titre. Anti-Protein D and anti-KLH responses are calculated as midpoint titers.

**Example 2, Immunisation of mice with novel IgE peptide conjugates (peptide-BSA, peptide -BSA) induces production of anti-human IgE antibodies.**

25

Mice can be immunised with 25µg of conjugate adsorbed onto aluminium or calcium hydroxide adjuvants.

Boosting can be performed on day 21 and on day 42 and sera can be harvested on day 42 and 56.

30 Anti-human IgE response can be analysed by ELISA as described below:

- Microtiterplates (Nunc) are coated with 50µl chimaric human IgE anti NP (SEROTEC) 2µg/ml in PBS (4° overnight):
- Wash 3X PBS-Tween 20 0.1%.
- Saturate plates with 100µl PBS-BSA 1%-Tween 20 0.1% (Sat bf) for 1 hr at 37°.
- 5 Add 1° antibody = 50µl mice sera in two-step dilution (Sat bf), incubate 1 hr 30, 37°.
- Wash 3X.
- Add 2° antibody = 50µl anti-mouse Ig (Boehringer) coupled to HRP(5000X Sat.bf.).
- Incubate 1 hr at 37°.
- Wash 5X.
- 10 Reveal with 50µl TMB (BioRad) 10' at room temperature in the dark.
- Block reaction with 50µl 0.4N H2SO4.

**Example 3, *Anti-IgE induced in mice after immunisation with conjugate are non anaphylactogenic***

- 15 Several dilutions of complete sera or IgG purified from conjugate immunised mice can be tested in presence of basophils from freshly harvested peripheral blood from allergic patients.
- 20 The anaphylactogenicity can be evaluated by the measuring of the histamine released induced by the antibodies to be tested as described below:
- Erythrocytes are removed from peripheral blood on glucose dextran gradient
  - Cells are washed and plated with samples to be tested (for example allergen, antibodies, allergen plus antibodies,...)
- 25 ■ After incubation , supernatants are collected and histamine release is measured according to manufacturer's instructions (Immunotech , histamine enzyme immunoassay kit)

- Example 4, *Anti-IgE induced in mice after immunisation with conjugate are capable of blocking IgE mediated histamine release induced by allergen triggering of basophil from allergic patient.***
- 30

Histamine release can be measured in basophil samples triggered with various concentrations of allergen in presence or absence of several dilutions of complete sera or IgG purified from conjugate immunised mice.

Blocking activity of anti-IgE antibodies can be evaluated by the measuring of the  
5 inhibition of the histamine release induced by the allergen.

Histamine can be measured as described in example 3.

**Example 5, *Anti-IgE induced in mice after immunisation with conjugate are capable of blocking local allergic response in the Monkey Cutaneous Anaphylaxis model.***

10

Purified anti-IgE antibodies from mice immunised according example 2 can be inoculated intradermally into the skin of a monkey sensitised with IgE.

Blocking activity of anti-IgE antibodies can be evaluated by the measuring of the inhibition of the local inflammation induced by the triggering of the IgE by the  
15 antigen.

## Claims

1. A peptide selected from the group comprising:

<i>Peptide Number</i>	<i>Sequence</i>
P1	EDGQVMDVD
P2	STTQEGEL
P3	SQKHWLSDRT
P4	GHTFEDSTKKCADSNPRGV
P10	CADSNPRGV
P15	CLEDGQVMDVDLL-NH <sub>2</sub>
P16	CSTTQEGELA- NH <sub>2</sub>
p17	CSQKHWLSDRT- NH <sub>2</sub>

or mimetopes thereof.

1. An immunogen comprising a peptide claimed in claim 1, and a carrier.
- 5 2. An immunogen as claimed in claim 2, wherein said carrier is selected from a group comprising KLH, TT, DT, BSA, PPD, OVA or protein D.
3. An immunogen as claimed in claim 3 wherein said carrier is protein D
4. A vaccine comprising a peptide as claimed in claim 1 and an adjuvant.
5. A vaccine comprising an immunogen as claimed in any one of claims 2 to 4, and
- 10 an adjuvant.
6. A vaccine composition as claimed in any one of claims 6 or 7, wherein said adjuvant is selected from aluminium or calcium salts.
7. An antibody induced by a vaccine as claimed in any one of claims 5 to 7.
8. A ligand which is capable of binding to a peptide as claimed in claim 1.
- 15 9. A method of preventing or treating an allergic response comprising administering a vaccine as claimed in any one of claims 5 to 7, to an individual susceptible to or suffering from an allergic response.
10. Use of a peptide in the manufacture of a medicament for the prophylaxis or therapy of allergies.
- 20 11. A peptide or vaccine as claimed herein for use in medicine.
12. A nucleotide molecule, characterised in that said molecule encodes an peptide of claim 1.

13. A nucleotide molecule, characterised in that said molecule encodes an immunogen of claim 2.
14. A method of making an immunogen as claimed in claim 1, comprising fusing a peptide to a carrier by chemical conjugation.
- 5 15. A method of making an immunogen as claimed in claim 1, comprising fusing a gene encoding a peptide to a gene encoding a carrier and expressing said fusion in a cell.
16. A method of making a vaccine comprising manufacturing an immunogen as claims in claim 1, and formulating said immunogen with an adjuvant.

10

Figure 1, IgE amino acid surface exposure.

Residue	Surface Area	average/5	>50	>80
ARG_1	270.322723			
ASP_2	139.374542			
PHE_3	64.298927	117.361489	1	1
THR_4	46.170193	64.494911	1	0
PRO_5	66.64106	39.0209532	0	0
PRO_6	5.989833	29.3644934	0	0
THR_7	12.004753	21.4426604	0	0
VAL_8	16.016628	8.6200336	0	0
LYS_9	6.561028	10.2708042	0	0
ILE_10	2.527926	9.5044914	0	0
LEU_11	14.243686	13.375776	0	0
GLN_12	8.173189	19.2992118	0	0
SER_13	35.373051	29.1890154	0	0
SER_14	36.178207	32.6313328	0	0
CYS_15	51.976944	39.0100884	0	0
ASP_16	31.455273	45.6135238	0	0
GLY_17	40.066967	50.0871888	1	0
GLY_18	68.390228	46.9957994	0	0
GLY_19	58.546532	59.6253914	1	0
HIS_20	36.519997	63.4215874	1	0
PHE_21	94.603233	68.1998406	1	0
PRO_22	59.047947	65.8523506	1	0
PRO_23	92.281494	62.0824146	1	0
THR_24	46.809082	50.1635586	1	0
ILE_25	17.670317	38.6392736	0	0
GLN_26	35.008953	21.6261078	0	0
LEU_27	1.426522	12.5259452	0	0
LEU_28	7.215665	10.5518628	0	0
CYS_29	1.308269	3.5500722	0	0
LEU_30	7.799905	4.8164434	0	0
VAL_31	0	4.0672202	0	0
SER_32	7.758378	3.8055664	0	0
GLY_33	3.469549	9.5755666	0	0
TYR_34	0	20.7786542	0	0
THR_35	36.649906	28.9967052	0	0
PRO_36	56.015438	50.2230378	1	0
GLY_37	48.848633	57.590085	1	0
THR_38	109.601212	73.50021	1	0
ILE_39	36.835236	70.1846368	1	0
ASN_40	116.200531	73.2560022	1	0
ILE_41	39.437572	51.7217026	1	0
THR_42	64.20546	49.2710734	0	0
TRP_43	1.929714	35.2314448	0	0
LEU_44	24.58209	49.7665942	0	0
GLU_45	46.002388	50.9119188	1	0
ASP_46	112.113319	74.3084848	1	0
GLY_47	69.932083	91.0816862	1	1
GLN_48	118.912544	85.9516244	1	1
VAL_49	108.448097	91.6210626	1	1
MET_50	20.352079	89.4386316	1	1
ASP_51	140.46051	77.095856	1	0
VAL_52	59.019928	65.664336	1	0

ASP_53	57.198666	72.8180802	1	0	
LEU_54	51.290497	45.9930286	0	0	
SER_55	56.1208	49.3437382	0	0	
THR_56	6.335252	47.723164	0	0	
ALA_57	75.773476	43.8934994	0	0	
SER_58	49.095795	51.656078	1	0	
THR_59	32.142174	59.4056414	1	0	
THR_60	94.933693	72.6291262	1	0	
GLN_61	45.083069	73.3905916	1	0	
GLU_62	141.8909	99.7907822	1	1	
GLY_63	52.903122	90.626043	1	1	
GLU_64	164.143127	83.4067496	1	1	
LEU_65	49.109997	57.2201384	1	0	
ALA_66	8.986602	47.5504318	0	0	
SER_67	10.957844	17.0083172	0	0	
THR_68	4.554589	7.3021006	0	0	
GLN_69	11.432554	7.2534874	0	0	
SER_70	0.578914	5.0619186	0	0	
GLU_71	8.743536	8.9567614	0	0	
LEU_72	0	10.8120506	0	0	
THR_73	24.028803	23.2812776	0	0	
LEU_74	20.709	37.264713	0	0	
SER_75	62.925049	69.375269	1	0	
GLN_76	78.660713	79.6644746	1	0	
LYS_77	160.55278	78.1594206	1	0	
HIS_78	75.474831	77.9196576	1	0	
TRP_79	13.18373	76.6092892	1	0	
LEU_80	61.726234	70.354977	1	0	
SER_81	72.108871	73.244224	1	0	
ASP_82	129.281219	81.9731098	1	1	
ARG_83	89.921066	69.9061278	1	0	
THR_84	56.828159	58.6259284	1	0	
TYR_85	1.391324	32.7696846	0	0	
THR_86	15.707874	23.8688072	0	0	
CYS_87	0	12.5031754	0	0	
GLN_88	45.416679	24.6922706	0	0	
VAL_89	0	22.314276	0	0	
THR_90	62.3368	48.4045714	0	0	
TYR_91	3.817901	45.5941352	0	0	
GLN_92	130.451477	47.9061642	0	0	
GLY_93	31.364498	62.7324992	1	0	
HIS_94	11.560145	91.805003	1	1	
THR_95	136.468475	85.5324108	1	1	
PHE_96	149.18042	87.190961	1	1	
GLU_97	99.088516	90.6138422	1	1	
ASP_98	39.657249	75.8683994	1	0	
SER_99	28.674551	62.1985202	1	0	
THR_100	62.741261	62.538042	1	0	
LYS_101	80.831024	61.892236	1	0	
LYS_102	100.786125	65.3434144	1	0	
CYS_103	36.428219	66.2248162	1	0	
ALA_104	45.930443	63.0386422	1	0	
ASP_105	67.14827	64.611715	1	0	
SER_106	64.900154	71.4769134	1	0	
ASN_107	108.651489	103.4634536	1	1	

PRO_108	70.754211	99.7733764	1	1
ARG_109	205.863144	89.6122724	1	1
GLY_110	48.697884	76.8830266	1	0
VAL_111	14.094634	65.4895302	1	0
SER_112	45.00526	46.920649	0	0
ALA_113	13.786729	41.2131878	0	0
TYR_114	113.018738	48.2957174	0	0
LEU_115	20.160578	69.0320708	1	0
SER_116	49.507282	68.9550828	1	0
ARG_117	148.687027	59.4319108	1	0
PRO_118	13.401789	66.4779462	1	0
SER_119	65.402878	65.1146108	1	0
PRO_120	55.390755	40.2327528	0	0
PHE_121	42.690605	41.3511228	0	0
ASP_122	24.277737	41.6901974	0	0
LEU_123	18.993639	62.3268566	1	0
PHE_124	67.098251	96.8962368	1	1
ILE_125	158.574051	111.7612278	1	1
ARG_126	215.537506	127.2638428	1	1
LYS_127	98.602692	115.6261678	1	1
SER_128	96.506714	90.3210972	1	1
PRO_129	8.909876	47.213596	0	0
THR_130	32.048698	33.1289818	0	0
ILE_131	0	13.827639	0	0
THR_132	28.179621	23.4265788	0	0
CYS_133	0	17.1863608	0	0
LEU_134	56.904575	25.8134032	0	0
VAL_135	0.847608	29.5570474	0	0
VAL_136	43.135212	29.5570474	0	0
ASP_137	46.897842	21.0086596	0	0
LEU_138	0	41.1764274	0	0
ALA_139	14.162636	47.0972686	0	0
PRO_140	101.686447	52.0556626	1	0
SER_141	72.739418	55.9107072	1	0
LYS_142	71.689812	72.025412	1	0
GLY_143	19.275223	55.0721622	1	0
THR_144	94.73616	58.5342426	1	0
VAL_145	16.920198	49.6876606	0	0
ASN_146	90.04982	57.1762332	1	0
LEU_147	27.456902	39.7034882	0	0
THR_148	56.718086	39.9762418	0	0
TRP_149	7.372435	42.3791974	0	0
SER_150	18.283966	48.0311764	0	0
ARG_151	102.064598	61.6391216	1	0
ALA_152	55.716797	68.7565726	1	0
SER_153	124.757812	98.5254416	1	1
GLY_154	42.95969	82.7176696	1	1
LYS_155	167.128311	92.7866728	1	1
PRO_156	23.025738	92.8627182	1	1
VAL_157	106.061813	100.8782402	1	1
ASN_158	125.138039	81.2024406	1	1
HIS_159	83.0373	83.8643042	1	1
SER_160	68.749313	100.1024634	1	1
THR_161	36.335056	101.6485648	1	1
ARG_162	187.252609	105.1675772	1	1



LYS_163	132.868546	113.1483374	1	1
GLU_164	100.632362	123.7075026	1	1
GLU_165	108.653114	117.1282088	1	1
LYS_166	89.130882	118.3834944	1	1
GLN_167	154.35614	123.8092514	1	1
ARG_168	139.144974	115.0634766	1	1
ASN_169	127.761147	101.3253922	1	1
GLY_170	64.92424	72.5768498	1	0
THR_171	20.44046	47.9994236	0	0
LEU_172	10.613428	23.3896668	0	0
THR_173	16.257843	15.9639244	0	0
VAL_174	4.712363	11.9144266	0	0
THR_175	27.795528	17.8898566	0	0
SER_176	0.192971	14.6768822	0	0
THR_177	40.490578	23.6673128	0	0
LEU_178	0.192971	19.1426268	0	0
PRO_179	49.664516	25.6114614	0	0
VAL_180	5.172098	23.0737176	0	0
GLY_181	32.537144	63.9982642	1	0
THR_182	27.801859	61.8714416	1	0
ARG_183	204.815704	65.9450374	1	0
ASP_184	39.030403	67.2307834	1	0
TRP_185	25.540077	90.5017958	1	1
ILE_186	38.965874	55.8821974	1	0
GLU_187	144.156921	60.762831	1	0
GLY_188	31.717712	68.4903946	1	0
GLU_189	63.433571	60.7744084	1	0
THR_190	64.177895	42.187322	0	0
TYR_191	0.385943	36.3067554	0	0
GLN_192	51.221489	49.1596714	0	0
CYS_193	2.314879	36.401281	0	0
ARG_194	127.698151	48.626639	0	0
VAL_195	0.385943	38.7900666	0	0
THR_196	61.512733	56.894756	1	0
HIS_197	2.038627	45.6995426	0	0
PRO_198	92.838326	51.6998584	1	0
HIS_199	71.722084	59.4304494	1	0
LEU_200	30.387522	101.1251104	1	1
PRO_201	100.165688	89.5911306	1	1
ARG_202	210.511932	89.3463034	1	1
ALA_203	35.168427	111.3965334	1	1
LEU_204	70.497948	119.0851456	1	1
MET_205	140.638672	94.506279	1	1
ARG_206	138.608749	90.6326938	1	1
SER_207	87.617599	87.5937792	1	1
THR_208	15.800501	64.4796438	1	0
THR_209	55.303375	47.0393972	0	0
LYS_210	25.067995	51.8300146	1	0
THR_211	51.407516	57.0476686	1	0
SER_212	111.570686	69.0928378	1	0
GLY_213	41.888771	86.228067	1	1
PRO_214	115.529221	83.3757164	1	1
ARG_215	110.744141	72.0179718	1	0
ALA_216	37.145763	65.2725554	1	0
ALA_217	54.781963	48.4866956	0	0

PRO_218	8.161689	26.731915	0	0
GLU_219	31.599922	20.645257	0	0
VAL_220	1.970238	12.5988736	0	0
TYR_221	6.712473	13.1408914	0	0
ALA_222	14.550046	12.4753564	0	0
PHE_223	10.871778	14.6081692	0	0
ALA_224	28.272247	17.661842	0	0
THR_225	12.634302	46.3053972	0	0
PRO_226	21.980837	71.2281822	1	0
GLU_227	157.767822	65.7818486	1	0
TRP_228	135.485703	67.0606164	1	0
PRO_229	1.040579	84.6178212	1	1
GLY_230	19.028141	78.3797154	1	0
SER_231	109.766861	74.5343982	1	1
ARG_232	126.577293	96.9868414	1	1
ASP_233	116.259117	99.3271062	1	0
LYS_234	113.302795	78.1251648	1	0
ARG_235	30.729465	52.8097062	1	0
THR_236	3.757154	30.0982028	0	0
LEU_237	0	7.4376438	0	0
ALA_238	2.7016	1.2917508	0	0
CYS_239	0	0.7718858	0	0
LEU_240	0	5.5314568	0	0
ILE_241	1.157829	19.4798026	0	0
GLN_242	23.797855	20.0640738	0	0
ASN_243	72.443329	29.58311	0	0
PHE_244	2.921356	31.2991972	0	0
MET_245	47.595181	45.895278	0	0
PRO_246	9.738265	41.159651	0	0
GLU_247	96.778259	45.6910524	0	0
ASP_248	48.765194	40.9067636	0	0
ILE_249	25.578363	43.6417552	0	0
SER_250	23.673737	44.292178	0	0
VAL_251	23.413223	37.4696036	0	0
GLN_252	100.030373	40.786536	0	0
TRP_253	14.652322	39.9144442	0	0
LEU_254	42.163025	55.3667468	1	0
HIS_255	19.313278	64.0644808	1	0
ASN_256	100.674736	87.8922836	1	1
GLU_257	143.519043	94.9356644	1	1
VAL_258	133.791336	125.7770554	1	1
GLN_259	77.379929	117.4437004	1	1
LEU_260	173.520233	100.4829132	1	1
PRO_261	59.007961	88.7511612	1	1
ASP_262	58.715107	97.0603256	1	1
ALA_263	75.132576	64.316282	1	0
ARG_264	118.925751	70.1529894	1	0
HIS_265	9.800015	61.5777254	1	0
SER_266	88.191498	59.9329928	1	0
THR_267	15.838787	37.5523814	0	0
THR_268	66.908913	51.6969256	1	0
GLN_269	7.022694	65.771303	1	0
PRO_270	80.522736	89.8671046	1	1
ARG_271	158.563385	82.2153388	1	1
LYS_272	136.317795	124.2368314	1	1

THR_273	28.650084	122.369592	1	1
LYS_274	217.130157	113.752525	1	1
GLY_275	71.186539	89.1739554	1	1
SER_276	115.47805	87.7550596	1	1
GLY_277	13.424947	44.4062168	0	0
PHE_278	21.555605	30.331391	0	0
PHE_279	0.385943	7.235781	0	0
VAL_280	0.81241	4.8371612	0	0
PHE_281	0	3.2956898	0	0
SER_282	1.431848	3.2185012	0	0
ARG_283	13.848248	10.2740306	0	0
LEU_284	0	10.6985678	0	0
GLU_285	36.090057	16.7191372	0	0
VAL_286	2.122686	37.9263888	0	0
THR_287	31.534695	44.9612932	0	0
ARG_288	119.884506	47.621104	0	0
ALA_289	35.174522	48.1620878	0	0
GLU_290	49.389111	53.3908726	1	0
TRP_291	4.827605	46.7616094	0	0
GLU_292	57.678619	74.1783896	1	0
GLN_293	86.73819	74.2797528	1	0
LYS_294	172.258423	95.33479	1	1
ASP_295	49.895927	84.3393862	1	1
GLU_296	110.102791	77.3154726	1	0
PHE_297	2.7016	42.863788	0	0
ILE_298	51.618622	50.8319354	1	0
CYS_299	0	28.8885658	0	0
ARG_300	89.736664	28.5866504	0	0
ALA_301	0.385943	19.2429276	0	0
VAL_302	1.192023	26.9888008	0	0
HIS_303	4.900008	9.4758236	0	0
GLU_304	38.729366	26.6422386	0	0
ALA_305	2.171778	35.9697824	0	0
ALA_306	86.218018	55.9203442	1	0
SER_307	47.829742	65.2374516	1	0
PRO_308	104.652817	74.870169	1	0
SER_309	85.314903	64.5256652	1	0
GLN_310	50.335365	61.2491192	1	0
THR_311	34.495499	57.5090542	1	0
VAL_312	31.447012	52.1974324	1	0
GLN_313	85.952492	53.3657582	1	0
ARG_314	58.756794	47.6630814	0	0
ALA_315	56.176994	54.8599582	1	0
VAL_316	5.982115	51.1280902	1	0
SER_317	67.431396	63.6157024	1	0
VAL_318	67.293152	62.0941464	1	0
ASN_319	121.194855	78.2977722	1	0
PRO_320	48.569214	119.372577	1	0
GLY_321	87.000244		1	1
LYS_322	272.80542			

